DERWENT-ACC-NO:

1997-299112

**DERWENT-WEEK:** 

200302

## COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE:

Gas diffusion electrode for PEM fuel-cell - uses carbon

fibre fleeces impregnated with rust and PTFE plus catalytically active layer of ion-conducting polymer on

noble metal

INVENTOR: KOSCHANY, A; LUCAS, C; SCHWESINGER, T; BOENSEL, H;

DECKERS, G

; FRANK, G ; GUTH, T S ; KNAUF, R ; SOCZKA-GUTH, T ; SOCZKAGUTH,

PATENT-ASSIGNEE: MAGNET-MOTOR GES MAGNETMOTORIS[MAGNN], HOECHST RES &

TECHNOLOGY DEUT GMBH & CO[FARH], MAGNET MOTOR GMBH[MAGNN], HOECHST

AG[FARH], MAGNET MOTOR TECH GMBH[MAGNN], PROTON MOTOR FUEL CELL

GMBH[PROTN], CELANESE VENTURES GMBH[CELA],

PRIORITY-DATA: 1995DE-1044323 (November 28, 1995)

PATENT-FAMILY: PUB-NO MAIN-IPC	PUB-DATE	LANGUAGE	PAG	BES
ES 2175157 T3 008/10	November 16, 2002	N/A	000	H01M
DE 19544323 A1	June 5, 1997	N/A	006	H01M 004/94
WO 9720358 A1	June 5, 1997	G	035	H01M 008/10
WO 9720359 A1	June 5, 1997	G	026	H01M 008/10
AU 9710949 A	June 19, 1997	N/A	000	H01M 008/10
EP 864183 A1 008/10	September 16, 1998	G	000	H01M
EP 867048 A1	September 30, 1998	G	000	H01M

008/10				
BR 9611769 A	February 23, 1999	N/A	000	H01M
008/10 BR 9611783 A	February 23, 1999	N/A	000	H01M
008/10	·			
CN 1202984 A	December 23, 1998	N/A	000	H01M
008/10		N1/A	000	LIOANA
CN 1206504 A	January 27, 1999	N/A	000	H01M
008/10				
US 5998057 A	December 7, 1999	N/A	000	H01M
004/86				
AU 712037 B	October 28, 1999	N/A	000	H01M 008/10
			000	110414
JP 2000500910 W	January 25, 2000	N/A	022	H01M
004/86				
KR 99071833 A	September 27, 1999	N/A	000	H01M
008/10				
JP 2000513480 W	October 10, 2000	N/A	029	H01M
004/86				
EP 864183 B1	November 8, 2000	G	000	H01M
008/10				
DE 59606133 G	December 14, 2000	N/A	000	H01M
008/10				
US 6183898 B1	February 6, 2001	N/A	000	H01M
004/86	•			
ES 2153606 T3	March 1, 2001	N/A	000	H01M 008/10
EP 867048 B1	February 20, 2002	G	000	H01M 008/10
	•			
DE 59608774 G	March 28, 2002	N/A	000	H01M
008/10				

DESIGNATED-STATES: BR CA CN JP KR MX PL RU SG US AT BE CH DE DK ES FI FR GB GR
IE IT LU MC NL PT SE AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES
FI GB GE HU IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO
NZ PL PT RO RU SD SE SG SI SK TJ TM TR TT UA UG US UZ VN AT BE CH DE DK EA ES
FI FR GB GR IE IT KE LS LU MC MW NL OA PT SD SE SZ UG AT BE CH DE DK ES FI FR
GB IE IT LI NL SE AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL PT SE AT

BE CH DE DK ES FI FR GB IE IT LI NL SE AT BE CH DE DK ES FI FR GB GR IE IT LI LU NL PT SE

CITED-DOCUMENTS: EP 176831; EP 298690 ; EP 560295 ; EP 577291 ; EP 606051 ; EP

687023 ; FR 2258007 ; US 4804592 ; US 5171644 ; US 5399184 ; US 5521020

; 2.Jnl.Ref; FR 1542346; GB 2000363; JP 6223835

## **APPLICATION-DATA:**

PUB-NO	APPL-DESCRIPTO	OR APPL-NO	APPL-DATE
ES 2175157T3	N/A	1996EP-0941024	November 26, 1996
ES 2175157T3 DE 19544323A1 1995	Based on N/A	EP 867048 1995DE-1044323	N/A November 28,
WO 9720358A1 1996	N/A	1996WO-EP05206	November 26,
WO 9720359A1 1996	N/A	1996WO-EP05276	November 28,
AU 9710949A	N/A	1997AU-0010949	November 28, 1996
AU 9710949A EP 864183A1	Based on N/A	WO 9720359 1996EP-0941615	N/A November 28, 1996
EP 864183A1 1996	N/A	1996WO-EP05276	November 28,
EP 864183A1 EP 867048A1	Based on N/A	WO 9720359 1996EP-0941024	N/A November 26, 1996
EP 867048A1 1996	N/A	1996WO-EP05206	November 26,
EP 867048A1	Based on	WO 9720358	N/A
BR 9611769A	· N/A	1996BR-0011769	November 26, 1996
BR 9611769A 1996	N/A	1996WO-EP05206	November 26,
BR 9611769A	Based on	WO 9720358	N/A
BR 9611783A	N/A	1996BR-0011783	November 28, 1996
BR 9611783A 1996	N/A	1996WO-EP05276	November 28,

BR 9611783A	Based on	WO 9720359	N/A
CN 1202984A	N/A	1996CN-0198611	November 26, 1996
CN 1206504A	N/A	1996CN-0199423	November 28, 1996
CN 1200304A	19/74	1990011-0199423	November 20, 1990
US 5998057A	N/A	1996WO-EP05276	November 28,
1996			
US 5998057A	N/A	1998US-0077408	October 5, 1998
US 5998057A AU 712037B	Based on N/A	WO 9720359 1997AU-0010949	N/A November 28, 1996
AU / 1203/ D	IN/A	1997 AU-00 10949	November 20, 1990
AU 712037B	Previous Publ.	AU 9710949	N/A
AU 712037B	Based on	WO 9720359	N/A
JP2000500910W	N/A	1996WO-EP05276	November 28,
1996			
JP2000500910W	N/A	1997JP-0520175	November 28,
1996 JP2000500910W	Based on	WO 9720359	N/A
KR 99071833A	N/A	1996WO-EP05206	November 26,
1996	IN/A	1990VVO-L1 00200	November 20,
KR 99071833A	N/A	1998KR-0704115	May 27, 1998
KR 99071833A	Based on	WO 9720358	N/A
JP2000513480W	N/A	1996WO-EP05206	November 26,
1996			
JP2000513480W	N/A	1997JP-0520157	November 26,
1996 JP2000513480W	Based on	M/O 0720259	N/A
EP 864183B1	N/A	WO 9720358 1996EP-0941615	November 28, 1996
E1 00+103D1 (	N/A	199011-09-1019	November 20, 1990
EP 864183B1	N/A	1996WO-EP05276	November 28,
1996			•
EP 864183B1	Based on	WO 9720359	N/A
DE 59606133G	N/A	1996DE-0506133	November 28,
1996 DE 50606122C	NI/A	1006ED 004464F	November 20
DE 59606133G 1996	N/A	1996EP-0941615	November 28,
DE 59606133G	N/A	1996WO-EP05276	November 28,
1996		.000110 21 00210	710107111001 2001
DE 59606133G	Based on	EP 864183	N/A
DE 59606133G	Based on	WO 9720359	N/A
US 6183898B1	Cont of	1999US-0077276	February 10, 1999
US 6183898B1	N/A	1999US-0388597	Santombor 2 1000
00 010000001	IN/ <i>F</i> 1	183900-0300381	September 2, 1999

ES 2153606T3	N/A	1996EP-0941615	November 28, 1996
ES 2153606T3 EP 867048B1	Based on N/A	EP 864183 1996EP-0941024	N/A November 26, 1996
EP 867048B1 1996	N/A	1996WO-EP05206	November 26,
EP 867048B1	Based on	WO 9720358	N/A
DE 59608774G 1996	N/A	1996DE-0508774	November 26,
DE 59608774G 1996	N/A	1996EP-0941024	November 26,
DE 59608774G 1996	N/A	1996WO-EP05206	November 26,
DE 59608774G	Based on	EP 867048	N/A
DE 59608774G	Based on	WO 9720358	N/A

W, EP 864183 B1

INT-CL (IPC): C25B009/00, C25B009/16, H01M004/86, H01M004/88, H01M004/92, H01M004/94, H01M004/96, H01M008/10

ABSTRACTED-PUB-NO: DE 19544323A

## **BASIC-ABSTRACT**:

A gas diffusion electrode for a polymer electrolyte membrane (PEM) fuel cell or the hydrogen side of a polymer electrolyte membrane electrolysis cells is electrically conducting, hydrophobic and gas-permeable. It contains at least one carbon fibre fleece (3) which is impregnated with rust and PTFE. The fleece is made from carbonised fibres and has a density of up to 60 grams per sq.metre. There are no more than four fleeces.

There is a catalytically active layer (4) made of electrically conducting material which also conducts ions. It comprises a noble metal catalyst on a carbon carrier and at least one polymer that conducts ions.

ADVANTAGE - Inexpensive to manufacture and allows oxygen to diffuse even when marginal excess pressure exists.

ABSTRACTED-PUB-NO: EP 864183B

**EQUIVALENT-ABSTRACTS:**